


Product description
Modular valve
Manifold Adaptor
MA5

DESCRIPTION

Three ranges of piping adaptors suitable for mounting the modular measuring valves, DDM5 and SDM5.

BENEFITS

- Adaptors can be permanently fixed to the lubrication system pipework before valves are fitted reducing possibility of contamination during installation period.
- 'O' Ring recesses are fitted into the top of the adaptor so that the fitter can observe the condition of the 'O' rings when he is fitting the module.
- Adaptors are available from stock suitable for fitting from one to four modules.



A. DISTRIBUTOR TYPE

Code

MA5

B. TYPE

Code

MA5 - 2	02
MA5 - 4	04
MA5 - 6	06
MA5 - 8	08
MA5 - 10	10
MA5 - 12	12
MA5 - 14	14
MA5 - 16	16
MA5 - 18	18
MA5 - 20	20



C. REVISION

Code

Status A

A

D. ACCESSORIES


Code

without
with 2x hexagon socket head screw
with 2x hexagon socket head screw and 1x plug screw

00
03
04

Dimensions

MA5 Manifold Adaptor



Model	No. of Modules	No. of Outlets	Dimensions (mm)			Weight (kg)
			A	B	C	
MA5- 2	1	2	46	9	28	1.1
MA5- 4	2	4	68	34	-	1.5
MA5- 6	3	6	100	34	32	2.4
MA5- 8	4	8	132	34	64	3.2
MA5-10	5	10	164	34	96	3.7
MA5-12	6	12	196	34	128	4.5
MA5-14	7	14	228	34	160	5.1
MA5-16	8	16	260	34	192	5.7
MA5-18	9	18	292	34	224	6.5
MA5-20	10	20	324	34	256	7.1



Specification

Maximum Working Pressure	350 bar
Material - Body	Steel zinc plated

See data sheet P_2008_1_GB_DDM and P_2008_1_GB_SDM for details of modules.

Ordering

No. of Modules	No. of Outlets	MA 5 Size		
		Model	Code old	Code new
1	2	MA5- 2	17710	MA502A00
2	4	MA5- 4	17720	MA504A00
3	6	MA5- 6	17730	MA506A00
4	8	MA5- 8	17740	MA508A00
5	10	MA5-10	17750	MA510A00
6	12	MA5-12	17760	MA512A00
7	14	MA5-14	17770	MA514A00
8	16	MA5-16	17780	MA516A00
9	18	MA5-18	17790	MA518A00
10	20	MA5-20	17800	MA520A00

EXAMPLE OF ORDERING

		Code							
		M	A	5	0	4	A	0	0
Distributor type	MA5	Code: MA5							
Type	MA5 - 4	Code: 04							
Revision	Status A	Code: A							
Accessories	without	Code: 00							



DELIMON

Zentrale

Arminstraße 15
D-40227 Düsseldorf
Telefon: +49 211 7774 0
Telefax: +49 211 7774 210
kontakt@bijurdelimon.com
www.bijurdelimon.com

DELIMON

Niederlassung Beierfeld

Am Bockwald 4
D-08344 Grünhain-Beierfeld

DELIMON

Österreich

Lemböckgasse 49
Haus 2 / Stiege E 4.OG / Top E 4-3
A-1230 Wien
Telefon: +43 1 585 66 17
Telefax: +43 1 585 66 17 50
kontakt@bijurdelimon.com
www.bijurdelimon.com

LUBRIMONSA

Spain

Avda. Txori-Erri 38
48150 Sondica - (Vizcaya)
Teléfono: +34 94 453 20 00
Fax: +34 94 453 25 00
spain@bijurdelimon.com

DENCO Lubrication Ltd.

DELIMON-Cooling

United Kingdom

Ramsden Court, Ramsden Road
Rotherwas Industrial Estate
Hereford, HR2 6LR
Phone: +44 (0) 1432 365 000
Fax: +44 (0) 1432 365 001
info@delimon.co.uk
www.bijurdelimon.com

BIJUR Products, Inc.

France

P.O. Box 50
Z.I. de Courtabœuf
9, Avenue du Québec
91942 Courtabœuf Cedex
Tél.: +33 1 692 985 85
Fax: +33 1 690 776 27
contact@bijurdelimon.com
www.bijurdelimon.com

BIJUR Lubricating Ireland Ltd.

Gort Road
Ennis, County Clare
Tel.: +35 3 65 682 1543
Fax: +35 3 65 682 0327
www.bijurdelimon.com

*Für reibungslose Bewegung
For smooth motion*

